

ROQ

YOUR PARTNER IN PRINT

3IN1
ROQ OUT



NEW



ROQ OUT HIGHLIGHTS



350 PIECES PER HOUR

IDEAL FOR T-SHIRTS,
SWEATS, OR OTHER
SIMILAR ITEMS

THE MACHINE INCLUDES
3 STANDARD FOLDING
DIMENSIONS

OPTIONAL BAR CODE
SCANNER AVAILABLE

COMPACT DIMENSIONS



3IN1 ROQ OUT

ROQ OUT is a automatic folding, packaging and labeling machine. Primarily for T-shirts, sweaters and polos the ROQ OUT provides a complete 3 in 1 solution.

Able to boost any business, the ROQ OUT can be customized according to the customers' needs.

The final dimensions of the folded piece can be adjusted in 3 positions by changing the folding plates and adjusting the fold position.


Non-standard dimensions between the minimum and maximum limit can be achieved by customizing the machine.

In the packaging phase, the ROQ OUT uses rolls of low-density polyethylene (LDPE) or polypropylene (PP) plastic film, 40 to 60 microns thick, previously folded in two layers, with the possibility of using poly mailer plastic.

The bag's dimensions are automatically adjusted by the operator on the interface. The length is set according to the width of the film roll being used.

The label is placed on the last station. The content of the label is set on the machine console or on the direct supplied computer using their ERP.

After labeling the piece is ready!



NEW

3 IN 1

FOLDING STATION



STANDARD DIMENSIONS

165mm x 200mm
6.5" x 7.85"
(WxL)


245mm x 300mm
9.65" x 11.8"
(WxL)

325mm x 365mm
12.75" x 14.35"
(WxL)

PACKAGING STATION



LABELING STATION



The label position is defined by the mechanical adjustment of the applicator and is applied automatically.



There is a ramp at the end of the labeller that will slide the piece down to allow for easier box packing.



MAXIMUM ROLL DIMENSIONS
Ø350mm x 500mm
13.75" x 19.65" m



YOUR PARTNER IN PRINT



ROQINTERNATIONAL.COM

sales@roqinternational.com
00 351 252 980 500



DOWNLOAD BROCHURE
AUTOMATIC PACKAGING MACHINES
PDF



1983 | 2023

